




E-mail: distributor@hyggeraquarium.com

Website: www.hyggeraquarium.com



HG126 USER MANUAL

hygger 304 stainless steel air stone



hygger 304 stainless steel nano air stone is perfect for freshwater aquariums and ponds.

ATTENTIONS

- The air stone is not suitable for seawater and leaky environments.
- For better aeration, the air stone should be soaked in water for 1 to 2 hours before use.
- Please install the pump with a check valve to avoid water backflow and potential damage to the pump. The air pump is not included.
- It is recommended to clean the air stone every two months to prevent clogging and maintain good dissolved oxygen levels.
- If the water depth exceeds 80 CM, the pressure of the air pump should reach 0.018 Mpa, and the optimal pressure range is 0.02-0.03 Mpa.


1. PRODUCT FEATURES

1. Nano-hole, bubbling atomizing, high dissolved oxygen
2. 304 stainless steel disk prevents displacement and floating
3. Frosted feel, elegant appearance
4. Corundum material, aging resistance, good air permeability, sturdy and durable

2. PRODUCT SPECIFICATIONS

Model	Internal/external diameter	Applicable aquarium (length)	Air tube caliber	The required power of the air pump
HG126-Rim-S/ HG126-Round-S	1.4/1.7inch	<16inch	4mm	≥1Watts
HG126-Rim-M/ HG126-Round-M	2.2/2.5inch	16-32inch	4mm	≥2Watts
HG126-Rim-L/ HG126-Round-L	3.0/3.3inch	24-52inch	4mm	≥4Watts
HG126-Rim-XL/ HG126-Round-XL	3.7/4.1inch	>32inch	4mm	≥4Watts

Installation Diagram



3. TROUBLESHOOTING

1. **No airflow output:** Check if the check valve is installed backward or if the air pump power is too low.
2. **Uneven airflow output:** Set the air pump to the highest setting and reinstall the air tubing for a more defined refinement effect.

3. Airflow output with large air bubbles: Wait 1-2 days for the air stone to return to normal.

4. PACKING LIST

1x Air stone

1x Air tube

1x Suction cup

1x Air volume control valve

1x Check valve

1x T-shaped shunt tube

1x User manual

5. ONE YEAR LIMITED WARRANTY

This product **MUST** be purchased from an authorized hygger reseller. Visit our website for a list of authorized resellers. hygger warrants this product against defects in materials and workmanship for **ONE(1) YEAR** from the date of the original retail purchase and is none-transferable.

Warranty on all products, including aquariums. But it is limited to the replacement of the products and does not cover fish loss, personal injury, property loss or direct, incidental or consequential damage caused by using this product.

Note: hygger One-year Limited Warranty does not cover damage caused by the followings: improper installation, saltwater corrosion, electrical surges or modifications. Additionally, products that have been refunded are also not covered under the warranty.

If you discover a defect, please contact hygger, who will, at its option, repair or replace the product at no charge, provided that you return it during the warranty period. A copy of the bill of sale is required as a proof of the original purchase date in the event of the product needing repairs within the warranty period. hygger does not warrant any products that aren't hygger's.

This warranty does not apply if the product has been damaged by accident, abuse, misuse or misapplication, or modified without the written permission of hygger.

6. CONTACT INFORMATION

Distributed by: Hygger Aquarium, Inc.
13941 Magnolia Ave, Chino, CA 91710

E-mail: distributor@hyggeraquarium.com

Website: www.hyggeraquarium.com

Trademarks of Shenzhen Mago Trading Co., Ltd
Bantian Group Business Center, Longgang,
Shenzhen City, China
All Rights Reserved

Made in China

EC	REP
-----------	------------

Company: E-CrossStu GmbH
Address: Mainzer Landstr.69,60329
Frankfurt am Main
E-mail: e-crossstu@outlook.com
Tel: +49 69332967674

UK	REP
-----------	------------

CET Product Service Ltd.
Beacon House Stokenchurch Business
Park,Ibstone Rd,Stokenchurch
High Wycombe HP14 3FE UK
info.cetservice@gmail.com
+447419325266

